

556,544

Rec'd F-5/PTO 26 MAY 2005

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date
24 June 2004 (24.06.2004)

PCT

(10) International Publication Number
WO 2004/052978 A1

(51) International Patent Classification⁷: C08K 5/04, C08L 1/18 // (C08K 5/04, 5:1515, 5:101

Katia [BR/BR]; Rua Guido Zecca, 38, Esplanada do Sol, CEP-12244-680 São José dos Campos, SP (BR). SOUSA SALES, Henrique, Jorge [BR/BR]; Avenida Dr. João Batista de Queiroz Jr., 2361, Apto. 74, Jardim das Indústrias, CEP-12240-000 São José dos Campos, SP (BR).

(21) International Application Number: PCT/BR2002/000176

(74) Agent: DANNEMANN, SIEMSEN, BIGLER & IPANEMA MOREIRA; Caixa Postal 2142, Rua Marquês de Olinda, 70, CEP-22251-040 Rio de Janeiro, RJ (BR).

(22) International Filing Date: 6 December 2002 (06.12.2002)

(81) Designated States (national): BR, US.

(25) Filing Language: English

(84) Designated States (regional): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR).

(26) Publication Language: English

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(72) Inventors; and

(75) Inventors/Applicants (for US only): BUENO DE ALMEIDA, Wanderson [BR/BR]; Rua República do Libano, 314, Apto. 22, Jardim Osvaldo Cruz, CEP-12216-590 São José dos Campos, SP (BR). BRAGA,

A1

WO 2004/052978 A1

(54) Title: PLASTICIZER COMPOSITIONS FOR NITROCELLULOSE BASED RESINS

(57) Abstract: The invention relates to plasticizer compositions for nitrocellulose based resins comprising (a) 100 parts by weight of at least one nitro-cellulose resin and (b) 0,1 to 30 parts by weight of a plasticizer compounded with said at least one nitrocellulose resin. Said plasticizer comprises (i) esters of fatty acids with 8 to 24 carbon atoms and isobutanol with the proviso that the fatty acids can be saturated or olefinically unsaturated, linear or branched and contain at least one epoxy group per molecule and (ii) one or more methyl esters of fatty acids with 16 to 18 carbon atoms with the proviso that these fatty acids can be saturated or olefinically unsaturated, linear or branched.